





Email: business@zositech.com





www.zositech.com

COMPANY PROFILE

About ZOSI

ZOSI, is an industry-leading company in security cameras and security-centric solutions, with product design, R&D, manufacturing, sales, and after sales service all in one. ZOSI is also a leading innovator in the field of Smart AI Security Technology with a matured AI algorithm team which is deep engage in the field of Smart AI.

Today, we have over millions of satisfied customers spanning across more than 60 countries. We are committed to providing highest quality of after-sales support and services to all of our customers around the world.

Stay connected with us for more information: business@zositech.com









01

Smart IP Security Cameras

02

Network Security Camera/ System

 03

Wireless Security Camera System

2.4GHz WiFi Security Camera System 59
Battery WiFi Security Camera System 61
WiFi Halow™ Security Camera System 63
Mesh WiFi Security Camera System 65
WiFi Security Camera System 67

04

Smart AI DVR

Al DVR System69

15

Accessories

 Coaxial Analog Monitoring Video Cable
 71

 Cat5e Ethernet Cable
 71

 Power Cable
 72

 Bracket
 72

6

Brand

Loocam



Smart WiFi Battery Camera


C1 Pro


Stay charged and stay powered, no strings attached. It is compact in size and flexible in installation using magnetic or screw on bracket mounting. C1 Pro can also be simply placed on any flat surfaces.













Supports charging with external green & energy-saving solar panel
















Smart WiFi Removable Battery Camera

C306 Pro

ZOSI large-capacity battery camera excels in battery life. In addition, the battery is removable and can be charged alone. Simple to install, this camera can be used anywhere, providing 24/7 reliable video recording in crisp 2K resolution.






- Removable high-capacity battery, more convenient to replace
- Supports charging with external green & energy-saving solar panel



PIR Motion detection & Person detection, capturing suspicious precisely









Outdoor Pan & Tilt WiFi Security Cameras Compared with traditional wired cameras, ZOSI Outdoor

PT Cameras can rotate in different directions and capture details in every corner with no blind spots. They not only have high-gain dual-band WiFi antennas for reliable remote access anytime, anywhere, but also have a all-weather protected design for 24/7 video and audio recording.


Starlight Outdoor Pan & Tilt WiFi Security Camera - WiFi Connection


C289 WiFi

The innovative AI algorithm detection PT camera is equipped with a high-performance starlight sensor and f/1.6 large aperture lens, capturing more lights to make your night brighter and clearer, providing safe guarding during day & night.










Starlight night vision, capturing color images in low light scenes

















- 355° Pan & 140° Tilt wide viewing angle
- Built-in 4G LTE SIM Card and supports external 4G
- IP66 waterproof, easily handle with all kinds of outdoor weather

- Smart Al Person & Vehicle detection
- Intelligent auto- tracking, accurate locking of suspicious people
- $\left(\underline{\mathbb{Q}} \right)$ Two-Way audio, easy intercom anytime, anywhere







2.5K Pan & Tilt WiFi Camera

C290

Equipped with a powerful sensor, it transforms nighttime into vibrant colorful visuals. Embrace our starlight sensor and AI algorithm fusion, redefining the possibilities of nighttime monitoring with a heightened sense of clarity and insight.














(A) 355° Pan & 140° Tilt wide viewing angle











ZOSI






Battery-Powered Pan & Tilt Security Camera - 4G Connection

C291 4G

No Power and WiFi Connection? ZOSI Battery-powered 4G PT camera is 100% wire-free and supports external solar power for 24/7 non-stop working in outdoor scenarios without power and WiFi.





- (4G) Utilizes 4G LTE network, no need of WiFi
- Supports charging with external green & energy-saving solar panel

- Smart Person Detection
- High-capacity battery for long lasting power
- Intelligent auto- tracking, accurate locking of suspicious people









3K Dual Lens Hybrid Zoom Camera

C292

This 3K dual-lens hybrid zoom marvel rotate 355° horizontally and 140° vertically for a panoramic view, eliminating blind spots. Offering up to 8x hybrid zoom, it guarantees comprehensive coverage across various distances, ensuring clarity both up close and at a distance. With f/1.6 aperture and starlight sensors, it delivers exceptionally finely-detailed visuals, excelling even in low-light conditions.



environments





8x hybrid zoom for comprehensive coverage at varying distances



355° Pan & 140° Tilt wide viewing angle

5 megapixels resolution, excelling in low-light



Powerful siren deterrence




Al detection for humans, vehicles, faces, and unusual sounds



Bidirectional voice communication, ensuring real-time interaction







New



Al Pan & Tilt Outdoor WiFi Security Camera - WiFi Connection

C296

Enjoy an unprecedented visual experience! This 3K super clear PT Camera allows you to see incredibly crisp resolution in wide field of view. Featured with high decibel voice activity detection, always focus on what you care about most.
















Innovative AI algorithm application, all-round intelligent guarding













Al Outdoor Binocular Pan & Tilt Security Camera


C298


Keep an eye on your concerns with more "eyes"! This 2.5K super-clear PT Camera consists of a bullet camera and a dome camera, realizing the synchronous monitoring of panorama and details. You can really enjoy a dual visual experience. In addition, it possesses algorithms that accurately detect human figures and recognize vehicles, providing unmatched human tracking capabilities and easy locking of objects. With IP66 weatherproof design, it can withstand severe weather, ensuring reliable monitoring even in the harshest environment.













Innovative Al algorithm application, all-round intelligent guarding














New








Smart Outdoor WiFi Security Camera


C188

Keep an eye on your home security with 2.5K clarity resolution, see through the darkness and capture more details with the upgraded color night vision. You can also respond to visitors in real-time with the high-quality mic and speaker.










Smart night vision, seeing full color images in day & night














Smart Outdoor dual-band WiFi Security Camera

C190 Pro


A vigilant home guard with top-of-the-line dual-band supports 2.4 GHz and 5 GHz WiFi. You can choose the most suitable signal to deliver the best images quality. Furthermore, 2T2R MIMO antennas can ensure strong & stable WiFi transmission.



























Al human & motion detection, catching the suspicious situation quickly






Indoor Pan & Tilt WiFi Security Camera

C513

Watch over your home easily with ZOSI indoor pan & tilt camera for a wider and clearer video footage during the day and night. You can also set up auto-cruise for enhanced detection.







(1) Two-Way Audio, easy intercom anytime, anywhere










ZOSI











2.5K Baby Monitor

C516

This brand new baby monitor combines an adorable design with versatile functionality. Advanced AI detection capabilities proactively detect if any Covered Face/Crying/Departure events arise. Soothe your baby's emotions in time via two-way audio. Elevate the atmosphere with integrated music play and stay informed about your baby's comfort with temperature and humidity sensing.







Wide 355° horizontal & 90° vertical view













2.5K Baby Monitor with LCD Screen

C516M

This brand new baby monitor combines an adorable design with versatile functionality. Advanced AI detection capabilities proactively detect if any Covered Face/Crying/Departure events arise. Soothe your baby's emotions in time via two-way audio. Elevate the atmosphere with integrated music play and stay informed about your baby's comfort with temperature and humidity sensing.









Secure data with micro SD card and cloud storage



Effortless two-way audio communication

4MP HD clarity for vibrant details



 $\ensuremath{\mathsf{AI}}$ Perimeter Detection , crying, and covered face detection



Activate the screen with VOX sound-triggered wake



Wide 355° horizontal & 90° vertical view



Z051







M EVERMOTION

New

2K Al Indoor Pan & Tilt WiFi Security Camera

C518

ЗМР

With AI detection, this smart home camera can identify

nerson and face instantly. This camera also featured crying.



for real-time calls

Tilt wide viewing angle



Z051





Indoor 2.5K Pan & Tilt Camera with Built-in Screen

C519M


Step into the future with our indoor pan-tilt camera. Enjoy 2.5K live streaming in 355°horizontal and 90°vertical views. Connect easily via dual-band WiFi. Al-driven features include human, crying, and audio anomaly detection. Your memories stay secure with both memory card and cloud storage. Elevate communication with one-touch video calls. This is more than a camera - it's your gateway to seamless, immersive living.







((o))) 2.4GHz & 5GHz dual-band WiFi connectivity



Al-powered human, and audio anomaly detection

One-click calling for instant connection

355° horizontal & 90° vertical field of view







Indoor Dual-Lens Camera with Built-in Screen

C528M

Revel in the brilliance of 2Kx2 clarity and a dual-lens design complete with an integrated screen. Engage in face-to-face video conversations and take advantage of advanced algorithms for human and gesture detection etc.. Keep track of objects with 355°pan and 90°tilt. Perfect for indoor spaces like living rooms, shops, and nurseries.



3MP high-definition clarity







Built-in screen for two-way video calls



Simultaneous dual-feed: one for panoramic view and one for detailed shots



Dual-band 2.4GHz/5GHz WiFi connectivity



Advanced algorithms for human/audio anomaly detection



355° pan & 90° tilt, human tracking for precise







INDOOR DUAL-LENS CAMERA WITH BUILT-IN SCREEN

INDOOR DUAL-LENS CAMERA WITH BUILT-IN SCREEN

New



Indoor Dual-Lens 2.4/5 GHz WiFi Camera

C528

Dual lens with 3MP HD capture intricate details for simultaneous dual visual experience. Enjoy one-touch calling and full-duplex intercom for effortless communication. Advanced detection along with human tracking abilities, effortlessly zeroing in on subjects of interest. Hassle-free installation makes it a perfect fit for indoor scenarios such as living rooms, shops, and baby rooms.











Dual-camera design: one for panoramic view and one for detailed capture

Support for SD card and cloud storage for double data security



One-click calling and full-duplex intercom communication







Indoor WiFi Security Camera

C611

As sharp as an owl's eye--this ZOSI home surveillance camera provides a clear day & night vision. In addition, it has a sleek and compact design that fits perfectly into your home with simple installation.



- Magnetic bracket, flexible adjustment
- Two-Way audio, easy intercom anytime, anywhere
- $\overbrace{ \overset{r_{\underline{R}}^{1}}{\Psi^{2}} } \quad \text{Al human \& motion detection, catching the suspicious situation quickly}$



3MP HD pixels for clearer images quality



Supports Micro SD card and cloud storage, enjoying safer data protection







Network Security Camera/ System

Aurora Lux 3K True Night Color PoE Camera

Unveil day-like visuals in the dark. With an advanced 1/1.79" CMOS sensor and a remarkable F1.0 aperture, it redefines low-light capture without the need for supplementary lighting, transforming darkness into vivid clarity.





- 5MP super sensor with F1.0 large aperture
- Exceptional low-light capture for daytime-like effects in darkness
- (AI) Al ISP image processing technology
- (a) 24/7 true-color vision for round-the-clock clarity.
- $_{\textcircled{\sl}}$ Two-way communication for interactive engagement
- (4) Al-powered Human, Vehicle Detection
- (ii) Smart light and siren alarm for proactive defense
- (x) Easy setup PoE system, 100% plug and play
- IP66 waterproof, easily handle with all kinds of outdoor weather
- Can work with our NVR as a system kit



Advance Detection Pan & Tilt 3K/4K PoE cameras

* standalone ver. camera with SD card slot.

ZOSI Pan & Tilt PoE camera provides wider and clearer visuals for your home surveillance. It can capture every details from all directions and delivers stunning video quality in multi-channel live viewing, 100% plug and play for 24/7 peace of mind video & audio recording.





- ③ 355° Pan & 140° Tilt wide viewing angle
- Smart auto-cruise, always report the unusual situation
- Starlight night vision/Smart night vision
- (2) Two-Way audio, easy intercom anytime, anywhere
- (a) Al-powered Human, Vehicle, Face, & Voice Activity Detection
- PoE power supply/DC 12V power supply
- (ii) Light & Siren alarm, proactive defense
- (%) Easy setup PoE system, 100% plug and play
- (SMP super- clear pixels, enjoying fineness and outstanding videos
- Intelligent auto- tracking, accurate locking of suspicious people
- (2) IP66 waterproof, easily handle with all kinds of outdoor weather











Q PoE NVR

K PoE NVR

Upgraded AI-Powered 3K/4K PoE Cameras

* standalone ver. camera with SD card slot.

Innovative and Professional 4K PoE security camera system, incorporates upgraded AI Algorithm to detect human and vehicle precisely, effectively reduce the number of false alarm. The 4K camera is equipped with starlight sensor to capture more lights and make your night brighter and clearer. As ZOSI's most durable and feature-rich, this system will be ideal for 24/7 home & business protection.



C182

- (8MP) Flawless 8MP Ultra HD images/5MP super-clear images
- ② Starlight night vision/Smart night vision
- (1.4.) Al-powered Human, Vehicle, Face, & Voice Activity Detection
- Light & Siren alarm, proactive defense
- ① Two-Way audio, easy intercom anytime, anywhere
- PoE power supply/DC 12V power supply
- Easy setup PoE system, 100% plug and play
- (2) IP66 waterproof, easily handle with all kinds of outdoor weather





- (8MP) Flawless 8MP Ultra HD images/5MP super-clear images
- (2) Starlight night vision/Smart night vision
- (*) Al-powered Human, Vehicle, Face, & Voice Activity Detection
- Light & Siren alarm, proactive defense
- (1) Two-Way audio, easy intercom anytime, anywhere
- PoE power supply/DC 12V power supply
- 🛞 Easy setup PoE system, 100% plug and play
- IP66 waterproof, easily handle with all kinds of outdoor weather









Q PoE NVR

K PoE NVR

Crystal-clear 2.5K PoE Cameras

One Ethernet cable is all that you need per camera to transfer power and data. Compared to the traditional analog wired security systems, ZOSI PoE camera simplify the cabling issues while upgrading the security and privacy protection of data transmission.



C180

- Built-in clear microphone, one-way audio pick-up
- DC 12V power supply/PoE power supply
- 🛞 Easy setup PoE system, 100% plug and play
- Ultra-long distance infrared night vision
- 4MP super- clear pixels, enjoying fineness and outstanding videos
- Al human & motion detection, catching the suspicious situation quickly
- IP66 waterproof, easily handle with all kinds of outdoor weather



- Built-in clear microphone, one-way audio pick-up
- DC 12V power supply/PoE power supply
- 🐒 Easy setup PoE system, 100% plug and play
- Ultra-long distance infrared night vision
- 4MP super- clear pixels, enjoying fineness and outstanding videos
- Al human & motion detection, catching the suspicious situation quickly
- (a) IP66 waterproof, easily handle with all kinds of outdoor weather





C-type PoE NVR

Wireless Security Camera System

2.4GHz WiFi Security Camera System

Afraid of messy cabling? ZOSI WiFi security camera system is simple to install with no cabling needed. Simply plug in the adapter and power on the system, you can view live in just a few seconds. ZOSI WiFi security system is perfect for home and business protection.



C302

- 3MP HD pixels for clearer images quality
- (Wireless connection, transmitting stable WiFi signal
- True plug & play, auto-pairing in seconds
- Remote access and control, 24/7 surveillance recording
- (2) Two-Way audio, easy intercom anytime, anywhere
- (i) Light & Siren alarm, proactive defense
- (‡) Al human & motion detection





- 3MP HD pixels for clearer images quality
- Wireless connection, transmitting stable WiFi signal
- ③ 355° Pan & 140° Tilt wide viewing angle
- ① Two-Way audio, easy intercom anytime, anywhere
- Light & Siren alarm, proactive defense
- Smart auto-cruise, always insight into the abnormal
- True plug & play, auto-pairing in seconds
- Remote access and control, 24/7 surveillance recording
- Al human & motion detection









P-type WiFi NVR

All in One NVR

Battery WiFi Security Camera System

Battery-powered WiFi security camera systems, a true wire free system with no wires required for the cameras. With a stable WiFi connection, this system can deliver great performance. Featuring accuracy detection and proactive defense function, so you can install the cameras anywhere around your household to protect every corner that matters to you.



C1 Pro JK

- 3MP HD pixels for clearer images quality
- Wireless connection, transmitting stable WiFi signal
- ① Two-Way audio, easy intercom anytime, anywhere
- Light & Siren alarm, proactive defense
- © Supports up to 256GB Micro SD card storage
- PIR Motion detection & Person detection, capturing suspicious precisely
- Smart night vision, seeing full color images in day & night
- Built-in rechargeable battery, suitable for indoors and outdoors use
- Supports charging with external green & energy-saving solar panel






C306PK

- 3MP HD pixels for clearer images quality
- Wireless connection, transmitting stable WiFi signal
- (2) Two-Way Audio, easy intercom anytime, anywhere
- (§) Light & Siren alarm, proactive defense
- $\ensuremath{\ens$
- (HDD) Supports up to 8TB HDD High-capacity local storage
- PIR Motion detection & Person detection, capturing suspicious precisely
- © Supports charging with external green & energy-saving solar panel
- Removable high-capacity battery, more convenient to replace

WiFi Halow™ Security Camera System

ZOSI WiFi security camera system incorporates WiFi Halow™ technology that revolutionize wireless surveillance system with superior long-reach connectivity. Arm and manage your entire security system in on intuitive ZOSI Smart App from anywhere.



C302RK

- 3MP HD pixels for clearer images quality
- Strong anti-interference, ensuring stable WiFi transmission
- (2) Smart night vision, seeing full color images in day & night
- ① Two-Way audio, easy intercom anytime, anywhere
- (i) Light & Siren alarm, proactive defense
- (9) 24/7 surveillance, audio & video recording
- Supports up to 8TB HDD High-capacity local storage
- WiFi Halow™ connection, super-powerful signal penetration
- Al human & motion detection, catching the suspicious situation quickly





C308AH

- Strong anti-interference, ensuring stable WiFi transmission
- ②) Smart night vision, seeing full color images in day & night
- $\ensuremath{\textcircled{2}}$ Two-Way audio, easy intercom anytime, anywhere
- (%) Light & Siren alarm, proactive defense
- (d)) DIY audio alarms, smart defense
- © Supports Micro SD Card & Cloud versatile storage
- WiFi Halow™ connection, super-powerful signal penetration
- 5MP super- clear pixels, enjoying fineness and outstanding videos
- Al human & motion detection, catching the suspicious situation quickly
- IP66 waterproof, easily handle with all kinds of outdoor weather

Mesh WiFi Security Camera System

Cutting-Edge Mesh WiFi is a whole home WiFi system, incorporates WiFi cascading algorithm to provide quality performance over long-distance signal transmission. You can use the cameras to cover your most distant property without messy cabling.





- 3MP HD pixels for clearer images quality
- Smart mesh WiFi technology, one network for entire home
- (2) Smart night vision, seeing full color images in day & night
- (%) Two-Way audio, easy intercom anytime, anywhere
- Dight & Siren alarm, proactive defense
- ② 24/7 surveillance, audio & video recording
- Supports up to 8TB HDD High-capacity local storage
- Al human & motion detection, catching the suspicious situation quickly
- Ultra-long distance signal transmission, stable WiFi connection



WiFi Security Camera System

Besides super-clear videos, this system has a wireless module built in, providing you stable WiFi signal even over long distances. And no messy cabling is needed for it can plug and play. Moreover, it enables 2-way audio, person detection, smart light & siren alarm, etc.





- 4MP super-clear pixel, enjoying clearer video quality
- New QT interface, providing easier operation
- Eung-distance WiFi signal transmission, stable connection
- (2) Intelligent night vision, day & night full color surveillance
- (%) Light & Siren alarm, proactive defense
- (4) Al Person Detection & Motion Detection
- (3) 24/7 surveillance, sound and picture synced
- $\textcircled{\scriptsize \textcircled{2}}$ Two-way audio, anytime & anywhere easy to communication
- Large-capacity storage, supporting up to 8TB



Smart Al DVR

AI DVR System

It is time to upgrade your analog security camera system, ZOSI newly developed analog security system offer a leading-edge home & business surveillance, incorporating the latest AI technology to provide more secure 24/7 local or remote connectivity.



8AU-2612F

- 2MP Full HD, delivering smooth & clear videos
- Built-in microphone, one-way audio pick-up
- (3) Al-powered Human & Vehicle detection
- (H265) Advanced H.265+ Video compression format
- ② 24/7 surveillance, audio & video recording
- Supports up to 8TB HDD High-capacity local storage










8AU-3032F

- ^{2MP} 2MP Full HD, delivering smooth & clear videos
- Built-in microphone, one-way audio pick-up
- Al-powered Human & Vehicle detection
- Advanced H.265+ Video compression format
- ② 24/7 surveillance, audio & video recording
- Supports up to 8TB HDD High-capacity local storage


Coaxial Analog Monitoring Video Cable





DNO Video Oekle		
	BNC Video Cable	
Material Durable PVC insulation, long lifespan		
DC Male	Connected to the power cable of the camera	
DC Female	Connected to power adapter	
Compatible Device	Suitable for connecting analog cameras and video recorders	
Application	Built-in power cord, video cable and BNC connector, can be directly connected to surveillance camera and hard disk video recorder. Easy and quick installation.	

Cat5e Ethernet Cable





Cat5e Ethernet Cable		
Conductor Material	High-quality pure oxygen-free copper	
Insulation Material	High density polyethylene	
Outer Skin Protection Layer	Flexible and environmentally friendly PVC	
Network Transmission	1000Mbps Network bandwidth: 155MHZ	
Network Bandwidth 155MHZ		
Comply with environmental protection ROHS certification		
Standard 8-core network cable, comply with EIA/TIAT568B2 standard,wire gauge 24AWG, cable diameter: 5.3mm		

Power Cable




1-to-4 DC Power Cable		
DC adapter cable 5.5x2.1 Female to 5.5x2.1 Male		
Female	outer diameter The diameter of the inner cylinder is 2.1mm.	
Male	5.5x2.1 The diameter of bore is 2.1mm.	




1-to-8 DC Power Cable		
DC adapter cable 5.5x2.1 Female to 5.5x2.1 Male		
Female outer diameter The diameter of the inner cylinder is 2.1m		
Male	5.5x2.1 The diameter of bore is 2.1mm.	


Bracket



	C129-Bracket
Material	Aluminum alloy, dusted surface
Size	64*171mm



C137-Bracket		
Material	Aluminum alloy, dusted surface	
Size	69.8*75.5mm	




C190-Bracket		
Material	Aluminum alloy, dusted surface	
Size	69.7*75.6mm	

About Us

Loocam is a company with independent research and development, production and sales system, focusing on the fields of whole house smart home, smart community, smart building, etc., and has been committed to providing the market with comprehensive intelligent control system products and integrated solutions.

Through continuous innovation, we will bring leading products full of scientific and technological charm to global consumers, and promote the beauty of intelligent manufacturing of Loocam brand. At present, it has business presence in more than 100 countries and regions around the world.

Since its establishment, Loocam has been committed to fully integrating technology and scenario applications, designing and innovating product solutions close to users, and providing smart scenarios for the whole house, allowing people to enjoy an easy, comfortable and enjoyable life brought by technology in a safe, convenient and green living environment created by smart technology.



Loocam Technology LLC Email:overseas@ansjer.com





4-Channel PoE Switch







Product Specification			
Туре	5-channel Gigabit Switch - 4-Port POE	Protocol	IEEE802.3, IEEE 802.3af/at, IEEE 802.3az, IEEE802.3x
Ports	4x10/100/1000Mbps RJ45 poe port; 1x10/100/1000Mbps uplink port	Port Category	MDI-MDIX auto-flip
Network Media	10BASE-Te UTP Category 3, 4, 5 cable (up to 100m)100BASE-TX UTP Category 5, 5e cable (up to 100m)1000BASE-T UTP Category 5, 5e, 6 or higher cable (max. 100m)"	Transmission Rate	Ethernet: 10Mbit/s (full duplex)Fast Ethernet:100Mbit/s (full duplex) Gigabit Ethernet:1000Mbit/s (full duplex)
POE Mode	RJ45 port support power supply, whole power XX W, single port maximum output power af:15.4W at:30W	MAC Address Table	2K
MAC Address Learning	Automatic learning, aging	Switching Capacity	10Gbps
Packe Forwa- rding Rate	7.4Mpps (64 byte packet size)	SRAM Storage	128kb
Jumbo Frame	9 kb	Network	IPV4/IPV6
Power Specification	AC 100V-230V 52V/2.5A	Casing	Metal material
Heat Dissipa- tion Method	Natural heat dissipation, no fan	Operating Temp and Humidity	0°C~40°C ,humidity less than 90% (no condensation)

8-Channel PoE Switch







	Product Specification			
Туре	10-channel Gigabit Switch - 8-Port POE	Protocol	IEEE802.3, IEEE 802.3af/at, IEEE 802.3az, IEEE802.3x	
Ports	8x10/100/1000Mbps RJ45 poe port; 2x10/100/1000Mbps uplink port	Port Category	MDI-MDIX auto-flip	
Network Media	10BASE-Te UTP Category 3, 4, 5 cable (up to 100m)100BASE-TX UTP Category 5, 5e cable (up to 100m)1000BASE-T UTP Category 5, 5e, 6 or higher cable (max. 100m)"	Transmission Rate	Ethernet: 10Mbit/s (full duplex)Fast Ethernet:100Mbit/s (full duplex) Gigabit Ethernet:1000Mbit/s (full duplex)	
POE Mode	RJ45 port support power supply, whole power XXW,single port maximum output power af:15.4W at:30W	MAC Address Table	2K	
MAC Address Learning	Automatic learning, aging	Switching Capacity	10Gbps	
Packe Forwa- rding Rate	7.4Mpps (64 byte packet size)	SRAM Storage	128kb	
Jumbo Frame	9 kb	Network	IPV4/IPV6	
Power Specification	AC 100V-230V 52V/2.5A	Casing	Metal material	
Heat Dissipa- tion Method	Natural heat dissipation, no fan	Operating Temp and Humidity	0°C ~40°C ,humidity less than 90% (no condensation)	

16-Channel PoE Switch





Main Module			
Chipset	EASY7085(GSM140)	POE Power Supply Module	LC2683
		Network	
Port-based Rate	Downlink 10/100/1000Mbps, Uplink 10/100/1000Mbps	Port Type	Network Port
Number of Ports	18 (16 downlink ports, 2 uplink ports)	POE Power Interface Protocol	IEEE 802.3af, IEEE 802.3at, IEEE 802.3az
MAC Address Table	2K	VLAN Address Table	4K
Number of Supported Device Connections	Up to 16 device connections	Network Protocol	Support IPV4\IPV6 access
Network Standard	IEEE 802.3	Communication Security	User authentication, software encryption
General			
Power Supply	DC 48V/power supply	Indicator Lights	Network indicator, power indicator
Operating Temp and Humidity			

24-Channel PoE Switch





Product Specification				
уре	26-channel Gigabit Switch -24-Port POE	Protocol	IEEE802.3, IEEE 802.3af/at, IEEE 802.3az, IEEE802.3x	
nterface	24x10/100/1000Mbps RJ45 PoE Port; 2xGigabit SFP uplink port;	Port Category	AUTO MDI/MDIX	
Network Media	10BASE-Te UTP category 3, 4, 5 cable (Maximum 100m)100BASE-TX UTP category 5, 5e cable (Maximum 100m)1000BASE-T UTP category 5, 5e, 6 or above cable (Maximum 100m)	Transmission Rate	Ethernet: 10Mbit/s (Full Duplex) Fast Ethernet: 100Mbit/s (Full Duplex) Gigabit Ethernet: 1000Mbit/s (Full Duplex)	
OE Mode	PoE Ports: Port 1 - Port 24 PoE Power up to 260W for all PoE ports PoE Power up to 30W for each PoE port	MAC Address Table	16K	
AAC Address earning	Auto-Learning, Aging	Switching Capacity	52Gbps	
acke Forwa- ding Rate	38.7Mpps (64 byte packet size)	SRAM Storage	128kb	
lumbo Frame	9 kb	Forwarding Mode	Store-and-Forward	
xternal ower Supply	External Power Adapter (Output:DC 100-24V 50/60Hz 52V /5A)	Dimensions (W×D×H)	12.2*3.7*1.1 in (190mm*30mm*88mm)	
nvironment	Operating Temperature : -10°~50°; Operating Humidity: 10% ~ 90%RH, non-condensing;			

loocam

Home Security Alarm System






Home Security Alarm System

Gateway

The gateway is the connection center of the sensor. It connects other intelligent products through zigbee3.0 protocol with low power consumption, AD hoc network and self-recovery, which is safe and reliable.



Features

- Support alarm function;
- Supports deployment and disdeployment
- Supports up to 32 sub-devices.
- Support APP remote control and management;
- Built-in log management system, you can view device logs to more accurately locate problems and solve problems;



Specification

Working Voltage: DC5V External Type-C power adaptor;

Indicators: Yes, Display device status
Working Temperature: -10°C--+55°C

Working Humidity: ≤95% RH

Installation Methods: Desktop/Wall

OTA Upgrade: Support

Button: Yes, Can be used to restart

the device/stop alarm

Alerts Push: Support



Door and window sensor

The door and window sensor determines the opening and closing state of the door and window cabinet by drawing the magnet on the reed tube, reminds the user in time, and notifies the gateway through wireless signal, and has realized alarm and other intelligent scenarios;



Features

- This product can not use alone and need to work with Loocam Gateway.
- Anti-demolition design, accidental demolition timely alarm, more secure protection
- A new generation of low-power design, low voltage to remind users to replace the battery in time
- No installation tools, simple start the smart home journey
- Work with gateway, support linkage control and remote reminder;



Specification

Working Voltage: DC 3V

Indicator: Yes, Display device status

Wireless Type: Zigbee

Working Temperature: -10°C--+55°C

Working Humidity: ≤95% RH

Installation Methods: Fixed with 3M

adhesive pad

Casing Material: PC+ABS

Magnetic distance: ≥20mm

Battery:CR2032



PIR Sensor

The PIR sensor detects the infrared light emitted by the human body through the four-element pyroelectric sensor and the new-generation Fresnel lens to judge whether someone is moving.



Features

* This product can not use alone and need to work with Loocam Gateway.

- Next-gen Fresnel lens with nano-level accuracy (0.00015mm), increasing defense area density by 3.4 times while reducing optical unit size by 10% for a compact and sensitive product.
- Stable operation with four-element sensor and temp compensa tion.
- Easy installation, compact design.
- Low power consumption, works with a gateway, supports linkage control and remote alerts.



Specification

Working Voltage: DC 3V

Indicator: Yes, Display device status

Wireless Type: Zigbee

Working Temperature: -10°C--+55°C

Working Humidity: ≤95% RH

Installation Methods: Wall-mounted/-

Ceiling-mounted

Casing Material: PC+ABS

Detection distance: 7m

Detection Angle: 70°

Battery:CR123A



Water Leakage Sensor

The water leakage sensor detects the conduction status between the metal probes to determine whether there is flooding, water leakage, rain, etc. When the water overflows the two poles of the probe, it immediately sends a wireless alarm signal to the gateway to let the user know as soon as possible and reduce the loss.



Features

- Innovative double-sided design, the probe can face up to detect water leakage and rain, and the probe can face down to detect water immersion.
- Rotary open cover design, IP66 protection class, to ensure normal use in wet, dusty environment.
- Can be widely used in home, computer room, warehouse and other fields.



Specification

Working Voltage: DC 3V

Indicator: Yes, Display device status

Wireless Type: Zigbee

Working Temperature: -10°C--+55°C

Working Humidity: ≤95% RH

Installation Methods: Placement on

the ground

Casing Material: PC+ABS

Weatherproof: IP66

Water-level detection: 0.5mm

Battery:CR123A



Temperature and Humidity Sensor

The temperature and humidity sensor is mainly used to detect and record the ambient temperature and humidity in real time.



Features

- * This product can not use alone and need to work with Loocam
- The latest generation of iot sensors can accurately monitor changes in ambient temperature and humidity;
- Exclusive private model design, with a wider Angle of view LCD display screen, to achieve more excellent display effect;
- Intimate display of ambient temperature, humidity and comfort through numbers and ICONS;



Specification

Wireless Connection: Zigbee

Working Voltage: DC 3V

Humidity Accuracy: ±5% Max

Temperature Accuracy: ±0.3°C

Humidity Measuring Range: 0% ~ 100% RH

Temperature Measuring Range: -40 ~ +125°C

Casing Material: PC+ABS

Installation Methods: Flat on the table

Battery: AAA Battery





Smart Button

Unlike traditional fixed buttons, smart buttons are free of installation tools and can be placed at home.



Features

- * This product can not use alone and need to work with Loocam Gateway.
- Four cantilever balanced structure design, any Angle can be triggered in time, better press experience;
- Multi-function: smart switch, emergency button, scene customization, etc
- One-click execution, can customize the function, convenient and fast
- No installation tools, immediately put and use



Specification

Working Voltage: DC 3V

Indicator: Yes, Display device status

Working Temperature: -10°C--+55°C


Working Humidity: ≤95% RH

Installation Methods: Flat on the table/Fixed with 3M adhesive pad

Casing Material: PC+ABS

Triggered Ways: Click/Double-click/Long press

Battery:CR2032





Smart Plug

A smart plug converts regular appliances into remotely controlled smart devices, enhancing convenience, safety, and energy efficiency in homes as part of a smart home ecosystem.



Features

- Remote Control: Manage device power remotely via a smart phone app.
- Timers and Scheduling: Set specific on/off schedules for energy efficiency and automation.
- Voice Control: Easily control connected devices with voice assistants like Amazon Alexa.
- Energy Monitoring: Keep track of device energy consumption for cost management.



Specification

Communication mode: IEEE802.11b/g/n 2.4GHz/ Bluetooth

Rated voltage (Input):120V-60Hz

Maximum current (Output):10A Max

Maximum power:1200W

Overload protection:Support

Electricity statistics:Support

LED indicator:Yes

Physical On/Off Button:Yes

Ingress protection rating:IP54



About Us

Vzzon established in 2019, focuses on the design, development, production of new energy equipment, security power products, switching power supplies, linear power supplies, centralized power supply and digital 3C products accessories. Our company has advanced production line with monthly production capacity of more than 1 million units. We adhere to the "customer-centric, professional quality" experience concept, committed to be a first-class quality, pragmatic innovation, green development, people-oriented, scientific and standardized first-class enterprises.

All products are certified with UL, CCC, CE, BIS, PSE, SAA, EAC, ROHS and other national energy efficiency certification..









Professional Power Supply Manufacturer



12W Wall Mount Power Adapter



	Specifications
Rated Input	100-240Vac, 50/60Hz, 0.5A
Output Voltage	DC12V
Output Current	1A
Output Power	12W Max
Туре	Horizontal
Energy Efficiency	VI level
Interface	2.1mm x 5.5mm DC port
Color	Black
Standard Coverage	Monitoring camera, router, LED display, mobile hard disk, portable DVD, audio, network equipment, radio and other equipment
Certification	UL, CE,PSE, CE-EMC, CE-LVD, FCC, CB, DOE, SAA,GEMS, ROHS etc.

24W Wall Mount Power Adapter



Specifications		
Rated Input	100-240Vac, 50/60Hz,1.2A	
Output Voltage	DC12V	
Output Current	2A	
Output Power	24W Max	
Туре	Horizontal	
Energy Efficiency	VI level	
Interface	2.1mm x 5.5mm DC port	
Color	Black	
Standard Coverage	Monitoring camera, router, LED display, mobile hard disk, portable DVD, audio, network equipment, radio and other equipment	
Certification	UL, CE,PSE, CE-EMC, CE-LVD, FCC, CB,DOE, SAA,GEMS, ROHS etc.	

36W Wall Mount Power Adapter



	Specifications		
Rated Input	100-240Vac, 50/60Hz, 2A		
Output Voltage	DC12V		
Output Current	3A		
Output Power	36W Max		
Туре	Horizontal		
Energy Efficiency	VI level		
Interface	2.1mm x 5.5mm DC port		
Color	Black		
Standard Coverage	Monitoring camera, router, LED display, mobile har disk, portable DVD, audio, network equipment, rad and other equipment		
Certification	UL, CE,PSE, CE-EMC, CE-LVD, FCC, CB, DOE, SAA,GEMS, ROHS etc.		

21/30/25.5/27W Wall Mount Power Adapter



Specifications				
Rated Input	100-240Vac, 50/60Hz,1A			
Output Voltage	DC13.5V	DC15V	DC17V	DC18V
Output Current	1.5A	2A	1.5A	2A
Output Power	21W Max	30W Max	25.5W Max	27W Max
Туре	Horizontal			
Energy Efficiency	VI level			
Interface	2mm x 1.5mm DC port			
Color	Black			
Standard Coverage	LED lamps, camera, access control, router, mini TV, air humidifier, aquarium, printer and other equipment			
Certification	UL, CE,PSE, CE-EMC, CE-LVD, FCC, CB,DOE, SAA,GEMS, ROHS etc.			

96W Power Adapter





Specifications			
Rated Input	100-240Vac, 50/60Hz		
Output Voltage	DC48V		
Output Current	2A		
Output Power	96W Max		
Туре	Horizontal		
Energy Efficiency	VI level		
Interface	6mm x 4.4mm x 1.5mm DC port		
Color	Black		
Standard Coverage	Security monitoring system, LED equipment, audio equipment, radio, display, network video recorder, POE switch and other equipment		
Certification	UL, CE,PSE, CE-EMC, CE-LVD, FCC, CB, DOE, SAA,GEMS, ROHS etc.		

156W Power Adapter









	Specifications		
Rated Input	100-240Vac, 50/60Hz,2A		
Output Voltage	DC52V		
Output Current	3A		
Output Power	156W Max		
Туре	Horizontal		
Energy Efficiency	VI level		
Interface	6mm x 4.4mm x 1.5mm DC port		
Color	Black		
Standard Coverage	Security monitoring system, LED equipment, audio equipment, radio, display, network video recorder, POE switch and other equipment		
Certification	UL, CE,PSE, CE-EMC, CE-LVD, FCC, CB, DOE, SAA,GEMS, ROHS etc.		